

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 1/7

1. Product and Company Identification

Company
Metacrylics
365 Obata Court
Gilroy, CA 95020

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
Metacrylics : 1-800-660-6950

Chemical family: Polymer, dispersion

2. Hazards Identification

Emergency overview

CAUTION:
MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.
INGESTION MAY CAUSE GASTRIC DISTURBANCES.

State of matter: liquid
Colour: white
Odour: faint odour

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Ingestion may cause gastrointestinal disturbances. The product has not been tested. The statement has been derived from products of a similar structure or composition.

Irritation / corrosion:

Irritation is possible when the product comes in contact with the skin, respiratory tract or the eyes. The product has not been tested. The statement has been derived from products of a similar structure or composition.

Sensitization:

Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from products of a similar structure or composition.

Chronic toxicity:

Carcinogenicity: The whole of the information available provides no indication of a carcinogenic effect.

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 2/7

Repeated dose toxicity: No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from products of a similar structure or composition.

Reproductive toxicity: Not expected to cause reproductive toxicity. (based on composition)

Teratogenicity: The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Genotoxicity: The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from products of a similar structure or composition.

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
	40.0 - 60.0 %	NJTS-50579-NLD
7732-18-5	40.0 - 60.0 %	Water

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

If on skin:

Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Flush with copious amounts of water for at least 15 minutes. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Flash point:	> 300 °F	(Unspecified)
Lower explosion limit:		not applicable
Upper explosion limit:		not applicable
Self-ignition temperature:		not self-igniting

Suitable extinguishing media:

water spray, foam, dry powder

Hazards during fire-fighting:

No particular hazards known.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 3/7

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental release measures

Personal precautions:

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions:

Do not release untreated into natural waters.

Cleanup:

Spills should be contained, solidified, and placed in suitable containers for disposal.

Further information:

High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

General advice:

Handle in accordance with good industrial hygiene and safety practice. No special measures necessary provided product is used correctly. Ensure adequate ventilation.

Storage

General advice:

Store protected against freezing.

8. Exposure Controls and Personal Protection

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed. Wear respiratory protection if ventilation is inadequate.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Form:	liquid
Odour:	faint odour
Colour:	white
pH value:	approx. 7 - 8

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 4/7

<i>Information on: Water</i>			
Melting point:	0 °C		

<i>Information on: Water</i>			
Boiling point:	100 °C		

<i>Information on: Water</i>			
Vapour pressure:	23.4 hPa	(20 °C)	Literature data.

Density:	approx. 1.04 g/cm ³	(20 °C)	
Relative density:			No data available.
Vapour density:			No data available.
Partitioning coefficient n-octanol/water (log Pow):			not applicable
Viscosity, dynamic:	approx. 1,500 - 6,000 mPa.s		
Solubility in water:		(15 °C)	partly soluble
Miscibility with water:			miscible
Other Information:	Range of particle size: < 0,1 µm - 10 µm		

10. Stability and Reactivity

Conditions to avoid:

Avoid extreme heat.

Substances to avoid:

metal salts

Hazardous reactions:

The product is chemically stable.

Decomposition products:

Hazardous decomposition products: carbon dioxide, carbon monoxide, hydrocarbons

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50

Species: rat

Value: > 2,000 - 10,000 mg/kg

Irritation / corrosion

Skin:

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Eye:

Species: rabbit

Result: non-irritant

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 5/7

Method: OECD Guideline 405

Other Information:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

12. Ecological Information

Fish

Acute:
OECD Guideline 203 static
Brachydanio rerio/LC50 (96 h): > 100 mg/l

Aquatic invertebrates

Acute:
OECD Guideline 202, part 1 static
Daphnia magna/EC50 (48 h): > 100 mg/l

Aquatic plants

Toxicity to aquatic plants:
OECD Guideline 201 green algae/EC50 (72 h): > 100 mg/l
Nominal concentration.

Microorganisms

Toxicity to microorganisms:
DIN EN ISO 8192-OECD 209-88/302/EEC,P. C activated sludge, domestic/EC20 (0.5 h): > 100 mg/l

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Degradability / Persistence Biological / Abiological Degradation

Test method: OECD 302B; ISO 9888; 88/302/EEC,part C
Method of analysis: DOC reduction
Degree of elimination: > 70 %
Evaluation: Easily eliminated from water.
The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Bioaccumulation

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Other adverse effects:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.
Ecological data are determined by analogy.

13. Disposal considerations

Waste disposal of substance:

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 6/7

Incinerate or dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

OSHA hazard category: Not hazardous;

EPCRA 311/312 (Hazard categories): Not hazardous;

State regulations

State RTK

NJ, PA, MA

CAS Number

Chemical name

NJTS-50579-NLD

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

16. Other Information

HMIS III rating

Health: 1 Flammability: 1 Physical hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an

Safety Data Sheet

Roof & Tile Primer

Revision date :
2014/07/21 Version: 1.1

Page: 7/7

on-the-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

Metacrylics Product Regulations
info@metacrylics.com
MSDS Prepared on: 2014/07/21

Metacrylics® is a registered trademark of Instant Asphalt, Inc.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET